

WEST Search History

DATE: Friday, April 01, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L22	L19 and l1	0
<input type="checkbox"/>	L21	L19 and l12	0
<input type="checkbox"/>	L20	L19 and l2	0
<input type="checkbox"/>	L19	20001221	71
<input type="checkbox"/>	L18	(mobile or PDA) near8 (external near5 storage)	248
<input type="checkbox"/>	L17	20001221	180
<input type="checkbox"/>	L16	(mobile or PDA) same (external near5 storage)	661
<input type="checkbox"/>	L15	6553468.pn.	2
<input type="checkbox"/>	L14	l11 and (control near5 parameter)	11
<input type="checkbox"/>	L13	L12 and l11	0
<input type="checkbox"/>	L12	(control near5 parameter) near8 (manage or management)	1118
<input type="checkbox"/>	L11	20001221	301
<input type="checkbox"/>	L10	(mobile or PDA) near8 ((limited or small) near8 (storage or capacity or memory))	857
<input type="checkbox"/>	L9	(mobile or PDA) and ((limited or small) near8 (storage or capacity or memory))	9227
<input type="checkbox"/>	L8	L7 and (storage near8 (limited or limited or manage or management))	2
<input type="checkbox"/>	L7	20001221	22
<input type="checkbox"/>	L6	l2 and (mobile or PDA or thin)	101
<input type="checkbox"/>	L5	20001221	4
<input type="checkbox"/>	L4	L3 and (control near5 parameter)	1
<input type="checkbox"/>	L3	L2 and (storage near5 (manage or management))	11
<input type="checkbox"/>	L2	((launcher or starter or starting or launching) adj2 (program or code or application)) near8 (load or loading or download or downloading)	414
<input type="checkbox"/>	L1	(launcher or starter or starting or launching) adj2 (program or code or application)	11677

END OF SEARCH HISTORY

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)[First Hit](#) [Fwd Refs](#)

Generate Collection

L14: Entry 3 of 11

File: USPT

Dec 14, 2004

DOCUMENT-IDENTIFIER: US 6832084 B1

TITLE: Wireless database environment

Application Filing Date (1):19980630Detailed Description Text (6):

The p-code is divided into modules or software components. Operating as a state machine, specific modules of p-code are swapped into the RAM of the mobile device 30 for execution by the CPU so that an extremely small run-time footprint in memory is required when executing an applet.

Detailed Description Text (50):

In addition to storing the format of the records portion 404, the header portion 402 also includes general information of the dataset 202 as well as control parameters used by the viewer module 400 to display the dataset 202 to the user.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)